

public

This document describes the requirements for a fault-free incoming goods receipt in order to ensure the timely and demand-oriented availability of materials, components and products in follow-up processes.

Non-compliance with these requirements will lead to negative impacts on the supplier performance rating. Furthermore, ml&s has the right to pass on costs for additional efforts to the supplier. Deviations from these delivery instructions must be explicitly agreed with and approved by the purchasing department of ml&s GmbH & Co. KG.

The following requirements minimize the manual booking effort, reduce errors in the processing of incoming goods and lead to a continuous improvement in the supplier's quality and delivery performance.

Delivery notes

have to be inisde packaging boxes and not attached to the outside, as a barcode* and in plain text the following information should be available:

- Order no. of ml&s
- Delivery note no. of the supplier
- Quantity
- Manufacturing date of oldest delivered batch in form of "DD.MM.YYYY" (if specified as a week, please change the date to the Monday of the week of manufacturing)
- for hazardous goods: details of hazardous substances in accordance with statutory regulations

Please find an example of a delivery at the end of this document!

*requirements for barcodes:

- Standard barcodes (e.g. Code 39, Code 128b, ...) have to be used.
- The content of the barcodes must be limited to the pure indication of e.g. order number, date, etc. and must not be extended by additional characters.
- Additional use of labels with barcode, data matrix code or QR code according to international MAT LABEL according to VDA 4902, VDA 4992, VDA 4994

Providing Certificates

Please mail to: delivery.certificates@mlands.com

Bearbeiter: Laß	Stand: 26.04.2024
Geprüft: Maiwirth	Seite: 1 von 5



public

Packaging & Labelling

Packaging has to provide proper protection against damage during transportation and has to be provided with proper and clear labelling of each packaging unit.

Special packaging requirements will be agreed and communicated via our purchasing department.

Labels attached on outer packaging have to contain the following information:

- Name of manufacturer
- Manufacturer part number
- Quantity per manufacturer part number
- Manufacturing date with corresponding quantity per part number
- RoHS-declaration

Labels of packaging units have to contain the following information:

- Name of manufacturer
- Manufacturer part number
- Quantity
- Manufacturing date
- Date of exoiry (if available)
- Declaration of moisture sensitvity level
- RoHS-declaration

Dimensions and weights

- Packaging units must not exceed a weight of 20 kg, otherwise they must be delivered on appropriate loading aids
- Stacking height is limited to 1.20 m

Loading aids

Loading aids must be in perfect and undamaged (exchangeable) condition

Bearbeiter: Laß	Stand: 26.04.2024
Geprüft: Maiwirth	Seite: 2 von 5



public

- Types of loading aids:
 - Euro-pallet/EPAL-pallet (1,200 x 800 mm)
 - Euro pallet cage
 - Disposable pallet
 - Reusable container

Dimensions of loading aids larger than $1,200 \times 800$ mm may only be accepted in exceptional cases and by agreement (if the load is larger than the dimensions).

Delivery addresses

Siemensallee 1, 17489 Greifswald

Siemensallee 3, 17489 Greifswald

Siemensallee 6, 17489 Greifswald

Please note! The right delivery address to each shipment is specified on the individual purchasing order!

Opening hours of ml&s' goods receiving department

Monday - Friday

7.00 a.m. - 3.00 p.m.

Approved forwarding agencies

Please ship the ordered goods as follows:

Forwarder	Deliveries < 70 kg	Deliveries ≥ 70 kg
	(ml&s' account number)	(ml&s' account number)
UPS (standard)	643V84	
DB Schenker		420715

Shipment registration DB Schenker: guestrow.kundenservice@dbschenker.com

Bearbeiter: Laß	Stand: 26.04.2024
Geprüft: Maiwirth	Seite: 3 von 5



public

Environmentally-friendly principles

The use of loading aids and packaging materials must be planned in such a way that as few resources as necessary are consumed while ensuring protection of goods during transportation.

Environmentally friendly (FSC-certified), recyclable materials should be used for all packaging materials. Use reusable/sustainable fillers (kraft paper or similar). Chips made from plant-based products or polystyrene are not permitted. Reusable packaging is preferred over disposable packaging if economically viable. This reduces packaging waste.

Reference to supplementary documents

Before mentioned requirements supplement any existing part-specific regulations and/or contracts.

Thank you in advance for your cooperation and support!

Bearbeiter: Laß	Stand: 26.04.2024
Geprüft: Maiwirth	Seite: 4 von 5



public

Example of a delievery note wirth required barcodes:

Lieferschein 28565451					L	iefers	chein
						ackungsdatum	
Geliefert nach: ml+s GmbH + Co. KG manufacturing-logistics + services Siemensallee 1 17489 Greifswald DE-Germany					У	ackarigs actain	02.03.2022
thre Bestellnummer 4500445600			Auftra	gsnummer			
			Büro				
Kunden-Nr	i en		кесппипgs-/L	eferreferenz-Nr.			
Ihre Lieferantennummer			Incoterms@2	020			
Ihre Bestelldetails			Lieferart				
			Versandart				
1.1.0 MOC207M ONSEMI DC-IN 1-CH Transistor Wit Ihre Artikelnummer 74019 Ihre Bestellnummer 45004)			EA	100	·	100
Kundenartikelnumm 74019							
Stückzahl; 100							
UH TEKNIKAKAN ILAN							
CoC-Nummer	<u>Detail Menge:</u> 100	RHC kons compliant		1709 (MI) 2702		nftsland AND	
ECCN (Local): NLR License (Local): NO LICENSE REQUIRE License Auth (Local): BAFA ECCN (US Re-Export): EAR99 License Decision (US Re-Export): NO License Authority (US Re-Export): BIS HTS-Export: 85414900 HTS-Import: 854149000	LICENSE REQUIRE	D					
Paketrummer PDC0089841		<u>Pake</u> 1 /	<u>t Pas.</u> 1	Gesamtaewicht N/A	Karton-Abmessungen CM	<u>Beschreit</u> Electron	bung ic Goods

Bearbeiter: Laß	Stand: 26.04.2024
Geprüft: Maiwirth	Seite: 5 von 5